ATA NRG | GROW GUIDE
Nutrition on 1 Litre of water

This schedule is recommended as a general guideline for product usage. Take local biotic and abiotic conditions into account when using this schedule.

	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
ROOT-C	1 - 5 ml/L	---	---	---	---
FLOWER-C	---	1 - 5 ml/L	1 - 5 ml/L	1 - 5 ml/L	1 - 5 ml/L
GROWTH-C	1 - 3 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
BLOOM-C	---	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
FLAVOR	---	---	---	---	0,5 - 1 ml/L
ALGA-C	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L

ATA NRG + Bi-Bloombastic | GROW GUIDE

Nutrition on 1 Litre of water

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.

	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
ROOT-C	1 - 5 ml/L	---	---	---	---
FLOWER-C	---	2 - 5 ml/L	2 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
GROWTH-C	1 - 3 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
BI-BLOOMBASTIC	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
ALGA-C	---	1 - 2 ml/L	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L

Join the Atami Universe!

www.atami.com

ATAMI®

ATA NRG + Bi-Bloombastic + Bloom-C | GROW GUIDE
Nutrition on 1 Litre of water

This schedule is recommended as a general guideline for product usage. Take local biotic and abiotic conditions into account when using this schedule.

ROOTING PHASE · GROWTH PHASE · EARLY BLOOM PHASE · BLOOM PHASE · RIPENING PHASE

Product	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
ROOT-C	1 - 5 ml/L	---	---	---	---
GROWTH-C	1 - 3 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
BLOOM-C	---	---	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
FLOWER-C	---	2 - 5 ml/L	2 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
BI-BLOOMBASTIC	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
ALGA-C	---	1 - 2 ml/L	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L

ATA NRG + Bi-Bloombastic + Root-C | GROW GUIDE

Nutrition on 1 Litre of water

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.

	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
ROOT-C	1 - 5 ml/L	---	---	---	---
FLOWER-C	---	2 - 5 ml/L	2 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
GROWTH-C	1 - 3 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
BI-BLOOMBASTIC	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L
ALGA-C	---	---	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L

Join the Atami Universe!

You Tube Instagram facebook

www.atami.com

ATAMI®

ATA NRG + Bloombastic | GROW GUIDE
Nutrition on 1 Litre of water

This schedule is recommended as a general guideline for product usage. Take local biotic and abiotic conditions into account when using this schedule.

	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
ROOT-C	1 - 5 ml/L	---	---	---	---
FLOWER-C	---	2 - 5 ml/L	2 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
GROWTH-C	1 - 3 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L	3 - 5 ml/L
BLOOMBASTIC	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
ALGA-C	---	1 - 2 ml/L	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L

ATA NRG + Upgrade | GROW GUIDE
Nutrition on 1 Litre of water

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.

	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
UPGRADE	Mix with substrate 1 - 3 gr*	Mix with substrate 3 - 6 gr*	Mix with substrate 2 - 4 gr*	---	---
ROOT-C	1 - 5 ml/L	---	---	---	---
ALGA-C	---	2 - 3 ml/L	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L
BLOOM-C	---	---	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L

*Use ATA NRG Upgrade only once per phase.
Dosage lasts up to 100 days

Join the Atami Universe!

www.atami.com

ATAMI®

ATA NRG + Upgrade + Bi-Bloombastic | GROW GUIDE

Nutrition on 1 Litre of water

OUTDOOR

This schedule is recommended as a general guideline for product usage.
Take local biotic and abiotic conditions into account when using this schedule.

	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
UPGRADE	Mix with substrate 1 - 3 gr*	Mix with substrate 3 - 6 gr*	Mix with substrate 2 - 4 gr*	---	---
ROOT-C	1 - 5 ml/L	---	---	---	---
ALGA-C	---	2 - 3 ml/L	2 - 3 ml/L	3 - 4 ml/L	3 - 4 ml/L
BI-BLOOMBASTIC	---	---	1 - 2 ml/L	1 - 2 ml/L	1 - 2 ml/L

*Use ATA NRG Upgrade only once per phase.
Dosage lasts up to 100 days

Join the Atami Universe!

www.atami.com

ATAMI®