









This schedule is recommended as a general guideline for product usage.  
Take local biotic and abiotic conditions into account when using this schedule.










	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
 <b>PPP COCO</b>	0,6 - 0,7 gr	0,7 - 0,8 gr	0,8 - 0,9 gr	0,9 - 1 gr	1 - 1,1 gr
 <b>ROOT STIMULATOR</b>	0,5 - 1 ml/L	---	---	---	---
 <b>HYDRO BOOSTER UNI</b>	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
 <b>COCO BLOOM STIMULATOR</b>	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
 <b>BLOSSOM BUILDER LIQUID</b>	---	---	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L
 <b>SILIC BOOST</b>	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L
 <b>ATA ATAZYME</b>	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
 <b>ATA CALMAG</b>	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L



This schedule is recommended as a general guideline for product usage.  
Take local biotic and abiotic conditions into account when using this schedule.











		ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
	PPP HYDRO	0,6 - 0,7 gr	0,7 - 0,8 gr	0,8 - 0,9 gr	0,9 - 1 gr	1 - 1,1 gr
	ROOT STIMULATOR	0,5 - 1 ml/L	---	---	---	---
	HYDRO BOOSTER UNI	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
	BLOOM STIMULATOR	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
	BLOSSOM BUILDER LIQUID	---	---	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L
	SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L
	ATA ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L



This schedule is recommended as a general guideline for product usage.  
Take local biotic and abiotic conditions into account when using this schedule.










	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
 PPP HYDRO	0,6 - 0,7 gr	0,7 - 0,8 gr	0,8 - 0,9 gr	0,9 - 1 gr	1 - 1,1 gr
 ROOT STIMULATOR	0,5 - 1 ml/L	---	---	---	---
 HYDRO BOOSTER UNI	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
 BLOOM STIMULATOR	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
 BLOSSOM BUILDER LIQUID	---	---	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L
 SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L
 ATA ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
 ATA CALMAG	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L




This schedule is recommended as a general guideline for product usage.  
Take local biotic and abiotic conditions into account when using this schedule.











		ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
	PPP SOIL	0,6 - 0,7 gr	0,7 - 0,8 gr	0,8 - 0,9 gr	0,9 - 1 gr	1 - 1,1 gr
	ROOT STIMULATOR	0,5 - 1 ml/L	---	---	---	---
	SOIL BOOSTER UNI	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
	BLOOM STIMULATOR	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
	BLOSSOM BUILDER LIQUID	---	---	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L
	SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L
	ATA ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L



This schedule is recommended as a general guideline for product usage.  
Take local biotic and abiotic conditions into account when using this schedule.



	ROOTING PHASE	GROWTH PHASE	EARLY BLOOM PHASE	BLOOM PHASE	RIPENING PHASE
 PPP SOIL	0,6 - 0,7 gr	0,7 - 0,8 gr	0,8 - 0,9 gr	0,9 - 1 gr	1 - 1,1 gr
 ROOT STIMULATOR	0,5 - 1 ml/L	---	---	---	---
 SOIL BOOSTER UNI	---	0,1 - 0,5 ml/L	0,1 - 0,5 ml/L	---	---
 BLOOM STIMULATOR	---	---	0,5 - 1 ml/L	0,5 - 1 ml/L	0,5 - 1 ml/L
 BLOSSOM BUILDER LIQUID	---	---	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L	0,25 - 0,5 ml/L
 SILIC BOOST	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L	0,1 ml/L
 ATA ATAZYME	---	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L	1 - 3 ml/L
 ATA CALMAG	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L	0,1 - 1 ml/L